CUMULATIVE AUTHOR INDEX
Journal of Medical Entomology
Volume 28, 1991

A
Adeyeye, O. A., 45
Allingham, P. G., 878
Amerasinghe, F. P., 387
Amrine, Jr., J. W., 186
Andersen, A., 487
Anderson, G. S., 685
Ando, K., 322, 506
Ariyasena, T. G., 387
Asiago, C., 307, 533
Asimeng, E. J., 578
Axtell, R. C., 95

B
Baba, M., 214
Bailey, C. L., 282, 405
Baldridge, G. D., 637
Barker, I. K., 750
Barnard, D. R., 557
Barnes, A. M., 770
Barnett, S., 424
Basimike, M., 330
Bayly, R., 527
Beaman, J. R., 161
Beard, M. L., 770
Beier, J. C., 307, 533, 780, 805
Belden, R. P., 246
Belton, P., 685
Bennett, G. W., 514
Bernacky, B. J., 477
Bhagwat, M. M., 142
Bhavsar, R. B., 142
Billingsley, P. F., 865
Binepal, Y. S., 293
Blahnik, R. J., 637
Bobian, R. J., 246
Bosler, E. M., 624
Botelho, J. R., 183
Bouseman, J. K., 101
Braverman, Y., 133
Broce, A. B., 730, 841
Brown, M. D., 618
Brown, R. N., 299
Brust, R. A., 847
Burg, J. G., 658
Busparani, V., 757
Butler, J. F., 37, 45, 105, 250
Byford, R. L., 663

C
Campbell, G. L., 645
Campbell, J. B., 841
Capstick, P. B., 114, 122, 127, 630
Carpenter, T. L., 477
Catts, E. P., 67
Caubere, P., 263
Chadee, D. D., 434
Chamberlain, W. F., 266
Chang, M. S., 606
Chastel, C., 219
Chew, M., 675
Chinzei, Y., 322, 506
Choochote, W., 334
Clark, S. M., 186
Cloonan, M. J., 796
Cole, C. H., 111
Colwell, D. D., 86
Comer, J. A., 289
Cooksey, L. M., 223
Coons, L. B., 41
Cope, S. E., 67
Copeland, R. S., 533
Corn, J. L., 289
Cornell, J. A., 254
Craig, Jr., G. B., 601
Craven, R. B., 770
Cruz-Lopez, L., 469
Cully, Jr. J. F., 410

D
Dale, W. E., 590
Daly, J., 481
Daniels, T. J., 537
Dasch, G. A., 590
Davey, R. B., 223, 763
Davies, F. G., 293
Day, J. F., 19
Deblinger, R. D., 708
Deloach, J. R., 450
Dohm, D. J., 405
Dos Santos, R.C.B., 284
Drought, D. C., 424
Dryden, M. W., 394
Durden, L. A., 694

E
Eldridge, B. F., 645
Elliott, L. A., 750
Ellis, J., 74
Endris, R. G., 49, 854
Estrada-Pena, A., 1
Estrada-Pena, R., 1

F
Falco, R. C., 537, 726
Fallon, A. M., 637
Farid, H. A., 198
Fish, D., 537, 726
Focks, D. A., 501
Foil, L. D., 663, 874
Forrester, D. J., 461
Francy, D. B., 405, 601
Fredeen, F.J.H., 831

G
Gaafar, S. M., 394
Gad, A. M., 198
Gadallah, A. I., 193
Gais, R. D., 186
Garris, G. I., 111
Gbakima, A. A., 421
Geden, C. J., 314
George, J. E., 174, 544
Gerencser, V. F., 186
Gettinger, D., 401
Gharia, M. M., 142
Ghauth, I., 757
Goff, M. L., 401
Gomes, A. F., 16
Gordon, S. W., 282, 405
Graham, R. R., 405
Greenberg, B., 565
Grieco, J. P., 410
Grimstad, P. R., 378
Grossman, G. L., 456
Grulet, O., 219
Gunn, S. J., 340, 352
Guzman, H., 701
Gwadz, R. W., 147

H
Hagenbuch, B. E., 186
Haile, D. G., 223
Hair, J. A., 465
Hall, D. R., 284
Hall, J. E., 186
Hallam, J. A., 417
Hampton, K. E., 730
Hansgen, K. H., 210
Hardy, J. L., 645
Harkrider, J. R., 421
Haslett, T. M., 49, 854
Hayamizu, E., 428
Hazelrigg, J. E., 357
Heard, P. B., 601
Hecker, H., 865
Hegazi, E. M., 734
Hendrikz, J. K., 618
Hess, W. R., 854
Higuchi, N., 322
Hii, J.L.K., 675
Hilburn, L. R., 340, 352, 763
Hink, W. F., 424
Hinkson, G., 770
Ho, T. M., 776
Hoberg, E. P., 205
Hogsette, J. A., 787
Holbrook, F. R., 246
Holman, G. M., 712
Holycross, J., 745
Howard, R. W., 859
Hribar, L. J., 874
Hubbard, S. F., 241
Hunter, F. F., 527

I
Ismail, S., 776
Ito, K., 322
Iwaki, M., 334

J
Jaenson, T.G.T., 284
Jahrling, P. B., 405
Jeffery, J., 757
Johnson, E. S., 270, 496
Johnson, G. D., 841
Jones, C. J., 787
Jordan, R. A., 624
Jordan, S., 241

CUMULATIVE AUTHOR INDEX
Journal of Medical Entomology
Volume 28, 1991

A
Adeyeye, O. A., 45
Allingham, P. G., 878
Amerasinghe, F. P., 387
Amrine, Jr., J. W., 186
Andersen, A., 487
Anderson, G. S., 685
Ando, K., 322, 506
Ariyasena, T. G., 387
Asiago, C., 307, 533
Asimeng, E. J., 578
Axtell, R. C., 95

B
Baba, M., 214
Bailey, C. L., 282, 405
Baldridge, G. D., 637
Barker, I. K., 750
Barnard, D. R., 557
Barnes, A. M., 770
Barnett, S., 424
Basimike, M., 330
Bayly, R., 527
Beaman, J. R., 161
Beard, M. L., 770
Beier, J. C., 307, 533, 780, 805
Belden, R. P., 246
Belton, P., 685
Bennett, G. W., 514
Bernacky, B. J., 477
Bhagwat, M. M., 142
Bhavsar, R. B., 142
Billingsley, P. F., 865
Binepal, Y. S., 293
Blahnik, R. J., 637
Bobian, R. J., 246
Bosler, E. M., 624
Botelho, J. R., 183
Bouseman, J. K., 101
Braverman, Y., 133
Broce, A. B., 730, 841
Brown, M. D., 618
Brown, R. N., 299
Brust, R. A., 847
Burg, J. G., 658
Busparani, V., 757
Butler, J. F., 37, 45, 105, 250
Byford, R. L., 663

C
Campbell, G. L., 645
Campbell, J. B., 841
Capstick, P. B., 114, 122, 127, 630
Carpenter, T. L., 477
Catts, E. P., 67
Caubere, P., 263
Chadee, D. D., 434
Chamberlain, W. F., 266
Chang, M. S., 606
Chastel, C., 219
Chew, M., 675
Chinzei, Y., 322, 506
Choochote, W., 334
Clark, S. M., 186
Cloonan, M. J., 796
Cole, C. H., 111
Colwell, D. D., 86
Comer, J. A., 289
Cooksey, L. M., 223
Coons, L. B., 41
Cope, S. E., 67
Copeland, R. S., 533
Corn, J. L., 289
Cornell, J. A., 254
Craig, Jr., G. B., 601
Craven, R. B., 770
Cruz-Lopez, L., 469
Cully, Jr. J. F., 410

D
Dale, W. E., 590
Daly, J., 481
Daniels, T. J., 537
Dasch, G. A., 590
Davey, R. B., 223, 763
Davies, F. G., 293
Day, J. F., 19
Deblinger, R. D., 708
Deloach, J. R., 450
Dohm, D. J., 405
Dos Santos, R.C.B., 284
Drought, D. C., 424
Dryden, M. W., 394
Durden, L. A., 694

E
Eldridge, B. F., 645
Elliott, L. A., 750
Ellis, J., 74
Endris, R. G., 49, 854
Estrada-Pena, A., 1
Estrada-Pena, R., 1

F
Falco, R. C., 537, 726
Fallon, A. M., 637
Farid, H. A., 198
Fish, D., 537, 726
Focks, D. A., 501
Foil, L. D., 663, 874
Forrester, D. J., 461
Francy, D. B., 405, 601
Fredeen, F.J.H., 831

G
Gaafar, S. M., 394
Gad, A. M., 198
Gadallah, A. I., 193
Gais, R. D., 186
Garris, G. I., 111
Gbakima, A. A., 421
Geden, C. J., 314
George, J. E., 174, 544
Gerencser, V. F., 186
Gettinger, D., 401
Gharia, M. M., 142
Ghauth, I., 757
Goff, M. L., 401
Gomes, A. F., 16
Gordon, S. W., 282, 405
Graham, R. R., 405
Greenberg, B., 565
Grieco, J. P., 410
Grimstad, P. R., 378
Grossman, G. L., 456
Grulet, O., 219
Gunn, S. J., 340, 352
Guzman, H., 701
Gwadz, R. W., 147

H
Hagenbuch, B. E., 186
Haile, D. G., 223
Hair, J. A., 465
Hall, D. R., 284
Hall, J. E., 186
Hallam, J. A., 417
Hampton, K. E., 730
Hansgen, K. H., 210
Hardy, J. L., 645
Harkrider, J. R., 421
Haslett, T. M., 49, 854
Hayamizu, E., 428
Hazelrigg, J. E., 357
Heard, P. B., 601
Hecker, H., 865
Hegazi, E. M., 734
Hendrikz, J. K., 618
Hess, W. R., 854
Higuchi, N., 322
Hii, J.L.K., 675
Hilburn, L. R., 340, 352, 763
Hink, W. F., 424
Hinkson, G., 770
Ho, T. M., 776
Hoberg, E. P., 205
Hogsette, J. A., 787
Holbrook, F. R., 246
Holman, G. M., 712
Holycross, J., 745
Howard, R. W., 859
Hribar, L. J., 874
Hubbard, S. F., 241
Hunter, F. F., 527

I
Ismail, S., 776
Ito, K., 322
Iwaki, M., 334

J
Jaenson, T.G.T., 284
Jahrling, P. B., 405
Jeffery, J., 757
Johnson, E. S., 270, 496
Johnson, G. D., 841
Jones, C. J., 787
Jordan, R. A., 624
Jordan, S., 241

K
Kandeh, J. B., 421
Kay, B. H., 618
Keirans, J. E., 590
Kelly, P. J., 598
Kew, Y., 147
Khalil, G. M., 193
Killick-Kendrick, R., 133
King, J. E., 514
Kirch, H. J., 450
Kissel, D., 410
Kitron, U., 101, 133
Kleider, N., 685
Kline, D. L., 254
Kloft, W. J., 450
Knapp, F. W., 658
Knight, J. W., 275
Koech, D. K., 307, 533
Kolanko, V. P., 186
Kolar, J., 750
Kondig, J. P., 282
Koros, J., 307, 805
Kruger, E. L., 859
Kumar, R., 142, 330
Kunz, S. E., 63

L
Lane, R. S., 719
Lane, R. S., 299
Lanzaro, G. C., 645
Lapchin, L., 518
Latif, A. A., 114, 122, 127, 630
Lazzari, C. R., 740
Leduc, J. W., 405
Le Goff, F., 219
Leprince, D. J., 663, 874
Levine, J. F., 668
Linardi, P. M., 183
Linda, S. B., 501
Lindsay, L. R., 750
Linley, J. R., 434
Linthicum, K. J., 282, 293, 405
Logan, T. M., 282, 293, 405
Longnecker, M. T., 165
Loye, J. E., 719
Luckhart, S., 652

M
Mahmood, F., 701
Main, A. J., 193
Maruyama, K., 551
Marzouk,A. S., 193
Mason, P. G., 598, 831
Maupin, G. O., 770
McEwen, S. A., 750
McLaughlin, R. E., 501
McLean, R. G., 405
Mecham, J. O., 287
Meola, S. M., 712
Merritt, R. W., 581
Meyer, R. P., 357
Milby, M. M., 357
Milio, J. F., 787
Milne, D. E., 787
Minocha, H. C., 841
Miyagi, I., 606
Mock, D. E., 872
Mogi, M., 428
Monahan, M. J., 49
Monath, T. P., 405
Moulton, J. R., 405
Mulla, M. S., 24
Mullen, G. R., 652
Mummert, M., 745
Munstermann, L. E., 675
Mutinga, M. J., 330

N
Nadesalingam, P., 760
Nasci, R. S., 522
Natuhara, Y., 551
Nayar, J. K., 275
Need, J. T., 37, 105, 250, 590
Newman, Jr., S. M., 152
Newson, R. M., 127
Nicholson, W. L., 668
Niebylski, M. L., 601
Noden, B. H., 780
Noireau, F., 263
Nokoe, S., 114, 122, 630
Nunamaker, C. E., 74
Nunamaker, R. A., 74

O
Okazawa, T., 606
Omar, B., 757
Omar, S., 757
Onyango, F. K., 307, 533
Osorio, J., 405

P
Padovani, C. R., 183
Panyim, S., 675
Pappas, C. D., 859
Pappas, L. G., 456
Park, Y.-J., 637
Parsons, R. E., 19
Patel, K. J., 95
Patterson, R. S., 787
Pence, D. B., 205
Peters, C. J., 405
Petersen, J. J., 190
Peterson, II, R. D., 152
Petrarca, V., 307
Pfuntner, A. R., 357
Phillips, J. G., 49
Pickens, L. G., 822
Piesman, J., 259
Pinger, R. R., 745
Pollack, R. J., 809
Pound, J. M., 174, 544
Poupel, O., 518
Powell, D. G., 658
Prakash, S., 142
Propp, G. D., 787
Pryor, S. C., 481
Punyua, D. K., 114, 122, 127, 630

R
Ramadhan, M., 533
Ramalingam, S., 606
Ramasamy, M. S., 760
Ramasamy, R., 760
Ramirez-Rovelo, A., 469
Rao, K. M., 142, 303
Rao, S. S., 303
Reeves, W. C., 645
Reierson, D. A., 210
Reisen, W. K., 357
Rickard, L. G., 787
Rimmer, D. W., 708
Ring, D. R., 165
Ritchie, S. A., 270, 496
Robert, L. L., 417
Roberts, C. R., 293, 307, 533
Roberts, L. W., 417
Rodhain, F., 518
Rojas, J. C., 469
Romans, P., 147
Rosell, R., 41
Rueda, L. M., 95
Russell, R. C., 796
Rust, M. K., 210
Rutz, D. A., 314
Ryder, J., 745

S
Sabry, E., 734
Sahr, F., 421
Sang, V. Y., 675
Sauer, J R., 465
Scholl, P. J., 266, 474
Schulze, T. L., 624
Schwenke, J. R., 730
Seeley, D. C., 147, 417
Shaaban, M. A., 734
Sherman, S. C., 816
Shisler, J. K., 624
Sieburth, P. J., 74
Siegel, J. P., 101
Sonenshine, D. E., 668
Sota, T., 428
Spielman, A., 198, 809
Spoehel, J., 357
Stabell, E. E., 477
Stafford, III, K. C., 32, 611
Steinkraus, D. C., 314
Stinner, R. E., 95
Strey, III, O. F., 165
Sugiyama, A., 551
Sulaiman, S., 757
Surgeoner, G. A., 750
Suryanarayana, M.V.S., 142

T
Tabachnick, W. J., 287
Takagi, M., 551
Takaoka, H., 214
Tan, S. G., 675

Tanskul, P., 139
Tardieux, I., 518
Taylor, D., 322, 506
Taylor, G. C., 624
Teel, P. D., 165, 450
Telford, III, S. R., 809
Telford, Jr. S. R., 461
Tesh, R. B., 701
Thomas, D. B., 372
Thompson, J. M., 712
Tietze, N. S., 24
Toma, T., 606
Turell, M. J., 161
Turner, R. T., 668

U
Uchikawa, K., 446

V
Vale, T. G., 796
Vaughan, J. A., 780

W
Walker, E. D., 378, 581
Walters, L. L., 701
Watson, D. W., 190
Webb, Jr. J. P., 357
Weeks, D. L., 465
Wells, J. D., 471
Wells, P. J., 796
White, S. C., 872
Wilson, K. J., 465
Wilson, N. A., 461
Wilson, W. C., 742
Winner, R., 19
Wirtz, R. A., 417
Wood, J. R., 254
Wooten-Saadi, E., 111
Wouters, G., 16
Wozniak, E. J., 105
Wright, J. C., 652
Wright, M. S., 712

X
Ximenez, A., 183

Y
Yasothornsrikul, S., 675
Yuval, B., 492

Z
Zam, S. G., 105
Zhang, J-T., 19

STATEMENT OF OWNERSHIP, MANAGEMENT, AND CIRCULATION

1. Title of Publication: Journal of Medical Entomology (00222585).

2. Date of Filing: September 1991.

3. Frequency of Issue: Bimonthly.

4. Complete Mailing Address of Known Office of Publication: 9301 Annapolis Road, Lanham, MD 20706.

5. Complete Mailing Address of the Headquarters or General Business Offices of the Publishers: 9301 Annapolis Road, Lanham, MD 20706.

6. Full Names and Complete Mailing Addresses of Publishers, Editors, and Managing Editor: *Publisher:* Entomological Society of America, 9301 Annapolis Road, Lanham, MD 20706.

Editors: Cluff E. Hopla, Department of Zoology, University of Oklahoma, Norman, OK 73109. William K. Reisen, Arbovirus Field Station, 4705 Allen Road, Bakersfield, CA 93302.

Managing Editor: Raymond L. Everngam, Jr., 9301 Annapolis Road, Lanham, MD 20706.

7. Owner: Entomological Society of America (Nonprofit), 9301 Annapolis Road, Lanham, MD 20706.

8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1% or More of Total Amount of Bonds, Mortgages, or Other Securities: None.

9. Purpose: The purpose, function, and nonprofit status of this organization and exempt status for Federal income tax purposes have not changed during the preceding 12 months.

10. Extent and Nature of Circulation:

	Avg. no. copies each issue during preceding 12 mo.	Actual no. copies of single issue published nearest to filing date
A. Total no. copies (net press run)	1,700	1,700
B. Paid circulation		
1. Sales through dealers and carriers, street vendors, and counter sales	482	482
2. Mail subscription	1,009	1,009
C. Total paid circulation	1,512	1,491
D. Free distribution by mail, carrier, or other means, samples, complimentary, and other free copies	21	21
E. Total distribution	1,512	1,512
F. Copies not distributed		
1. Office use, left over, unaccounted, spoiled after printing	188	188
G. Total	1,700	1,700

CUMULATIVE SUBJECT INDEX
Journal of Medical Entomology
Volume 28, 1991

1-octen-3-ol, carbon dioxide, 254
  mosquitoes, 254
Acari, fleas, 183
  lice, 183
  taxonomy, 205
  Thalassornectes aukletae, 205
acaricides, *Ixodes dammini*, 624
  Lyme disease, 624
acquired host resistance, Argasidae, 37
  Ornithodoros spp., 37
adult behavior, *Gasterophilus intestinalis*, 67
  mating, 67
adult emergence, integrated pest management, 757
  Spalangia endius, 757
Aedes aegypti, blood feeding, 522
  body size, 522
  dengue-2, 518
  fecundity, 501
  ivermectin, 501, 701
  oral susceptibility, 518
  reproduction, 701
Aedes albopictus, Culicidae, 859
  cuticular hydrocarbons, 859
  Potosi virus, 601
  vector competence, 601
  vector potentials, 161
  Venezuelan encephalomyelitis, 161
Aedes spp., *Anopheles spp.*, 219
  arboviruses, 645
  coevolution, 645
  genes, 637
  ribosomal DNA, 637
  spiroplasmas, 219
Aedes taeniorhynchus, egg distribution, 496
  mangrove, 270
  mangrove forests, 496
  oviposition, 270
Aedes triseriatus, chipmunks, 410
  defensive behavior, 410
  feeding, 581
  infection barriers, 378
  La Crosse virus, 378
  larvae, 581
Africa, Glauconycteris bat, 446
  Macronyssidae, 446
African swine fever virus, Argasidae, 854
  Ornithodoros puertoricensis, 854
Alabama, Lyme disease, 652
  ticks, 652
allergens, *Dermatophagoides pteronyssinus*, 487
  yeast nutritional value, 487
allozymes, *Culex pipiens*, 481
  seasonal change, 481
alphavirus, *Amblyomma cajennense*, 405
  Venezuelan equine encephalomyelitis, 405
Amblyomma, SFG Rickettsia, 598
Amblyomma americanum, appetence, 557
  Dermacentor variabilis, 465
  feeding apparatus, 111
  genetics, 544
  host contact, 557
  ivermectin, 465
  light-excluding, 111
  phenotype, 544
Amblyomma cajennense, alphavirus, 405
  Venezuelan equine encephalomyelitis, 405
Anopheles balabacensis, mark-recapture, 675
  population genetics, 675
Anopheles gambiae, complex, 307
  malaria, 147, 307
  restriction fragment length polymorphism, 147
Anopheles spp., *Aedes spp.*, 219
  ELISA, 533, 803
  erythrocyte concentration, 780
  prediuresis, 780
  repellents, 417
  spiroplasmas, 219
  sporozoites, 533, 805
Anopheles stephensi, bloodmeal digestion, 865
  midgut, 865
Anopheles tessellatus, antigens, 760
  Culex quinquefasciatus, 760
antibiotics, *Hypoderma lineatum*, 266
  rearing technique, 266
antigens, *Anopheles tessellatus*, 760
  Culex quinquefasciatus, 760
appetence, *Amblyomma americanum*, 557
  host contact, 557
arboviral surveillance, arboviruses, 19
  St. Louis encephalitis virus, 19
arboviruses, *Aedes*, 645
  arboviral surveillance, 19
  coevolution, 645
  mosquitoes, 796
  seasonal activity, 796
  St. Louis encephalitis virus, 19
Argasidae, acquired host resistance, 37
  African swine fever virus, 854
  host antibody response, 105
  host immunization, 250
  Ixodidae, 590
  Ornithodoros puertoricensis, 854
  Ornithodoros spp., 37, 105, 250
  Peru, 590
Armigeres digitatus, bionomics, 606
  egg morphology, 606
arthropod sampling, species assemblages, 658
artificial feeding, bovine erythrocytes, 450
  Ornithodoros concanensis, 450
attraction factors, *Chrysops dimidiata*, 263
  Chrysops silacea, 263
autogeny, *Culex tarsalis*, 847
  Culicidae, 847
beetles, biocontrol, 314
  pathogen, 314
behavior, screwworm, 372
  time-activity budget, 372
BHV-1, cattle, 841
  Musca autumnalis, 841
biconical traps, *Glossina longipalpis*, 284
  olfactory attractants, 284
biological control, beetles, 314
  Mesocyclops, 618
  mosquito control, 24, 618
  pathogen, 314
  tadpole shrimp, 24
biology, *Ornithodoros puertoricensis*, 49
  reproduction, 49
bionomics, *Armigeres digitatus*, 606
  egg morphology, 606
biting behavior, *Culex tritaeniorhynchus*, 428
  pigs, 428
Blattella germanica, development, 514
  juvenoids, 514
blood consumption, *Ctenocephalides felis*, 394
  ultrasound, 394
blood feeding, *Aedes aegypti*, 522
  body size, 522
  mosquito, 456
  skin temperature, 456
blood meal, ELISA, 527
  Simuliidae, 527
blood meal digestion, *Anopheles stephensi*, 865
  midgut, 865
blow flies, faunal succession, 565
  forensic entomology, 565
bluetongue virus, *Culicoides variipennis*, 74, 287
  ELISA, 287
  immunogold labeling, 74
body size, *Aedes aegypti*, 522
  blood feeding, 522
Boophilus annulatus, embryonic development, 165
  temperature, 165
Boophilus spp., competitiveness, 763
  computer modeling, 223
  population dynamics, 223

sterile hybrid, 763
Borrelia burgdorferi, experimental infection, 809
Ixodes dammini, 259, 745
Lyme disease, 259, 745
ticks, 668, 809
Virginia, 668
bovine erythrocytes, artificial feeding, 450
Ornithodoros concanensis, 450
Brugia, mosquitoes, 275
nutrition, 275
bubonic plague, insecticides, 770
Oropsylla montana, 770
burrow sampling, carbon dioxide baits, 45
Ornithodoros turicata, 45
Calliphoridae, *Chrysomya megacephala*, 471
North America, 471
Tabanidae, 874
ultraviolet reflectance, 874
carbon dioxide, 1-octen-3-ol, 254
mosquitoes, 254
carbon dioxide baits, burrow sampling, 45
Ornithodoros turicata, 45
carrion, desert insects, 734
trapping, 734
cattle, BHV-1, 841
Kenya, 630
Musca autumnalis, 841
ticks, 630
chiggers, Neotropical Region, 401
new species, 401
chipmunks, *Aedes triseriatus*, 410
defensive behavior, 410
chorion, *Cochliomyia hominivorax*, 152
egg morphology, 152
chromosome banding, chromosomes, 352
Ixodidae, 352
chromosomes, chromosome banding, 352
Ixodidae, 352
polyploidy, 340
thelotoky, 340
Chrysomya megacephala, Calliphoridae, 471
North America, 471
Chrysops dimidiata, attraction factors, 263
Chrysops silacea, 263
Chrysops silacea, attraction factors, 263
Chrysops dimidiata, 263
circadian rhythms, hatching, 740
Triatoma infestans, 740
Cochliomyia hominivorax, chorion, 152
egg morphology, 152
coevolution, *Aedes*, 645
arboviruses, 645
competitiveness, *Boophilus*, 763
sterile hybrid, 763
complex, *Anopheles gambiae*, 307
malaria, 307
computer modeling, *Boophilus spp.*, 223
population dynamics, 223
control, *Ixodes dammini*, 32
Lyme disease, 32
Periplaneta americana, 210
sewers, 210
Ctenocephalides felis, blood consumption, 394
flea control, 424
systemics, 424
ultrasound, 394
Culex, dispersal, 357
mark-release-recapture, 357
Culex pipiens, allozymes, 481
genetic variation, 198
polymorphism, 198
seasonal change, 481
Culex quinquefasciatus, *Anopheles tessellatus*, 760
antigens, 760
Lagenidium giganteum, 95
temperature-dependent development, 95
Culex tarsalis, autogeny, 847
Culicidae, 847
Culex tritaeniorhynchus, biting behavior, 428
in situ counting, 551
pigs, 428
population sampling, 551
Culex zombaensis, *Mansonia africana*, 293
Rift Valley fever virus, 293
Culicidae, *Ae. albopictus*, 859
autogeny, 847
Culex tarsalis, 847
cuticular hydrocarbons, 859
Culicoides brevitarsis, immature stages, 878
optimum temperature, 878
Culicoides hypersensitivity, *Culicoides obsoletus*, 685
Culicoides obsoletus, *Culicoides* hypersensitivity, 685
Culicoides variipennis, bluetongue virus, 74, 287
ELISA, 287
epizootic hemorrhagic disease virus, 742
immunogold labeling, 74
marker, 246
nucleic acid hybridization, 742
rubidium, 246
Cuterebra fontinella, diapause, 474
egg development, 474
cuticular hydrocarbons, *Ae. albopictus*, 859
Culicidae, 859
defensive behavior, *Aedes triseriatus*, 410
chipmunks, 410
dengue-2, *Aedes aegypti*, 518
oral susceptibility, 518
Dermacentor andersoni, diapause, 174
geographic variation, 174
Dermacentor marginatus, redescription, 1
synonymies, 1
Dermacentor variabilis, *Amblyomma americanum*, 465
ELISA, 41
fleas, 750
ivermectin, 465
Ixodes dammini, 750
vitellogenin titer, 41
Dermatophagoides pteronyssinus, allergens, 487
yeast nutritional value, 487
desert insects, carrion, 734
trapping, 734
development, *Blattella germanica*, 514
juvenoids, 514
diapause, *Cuterebra fontinella*, 474
Dermacentor andersoni, 174
egg development, 474
geographic variation, 174
dispersal, *Culex*, 357
mark-release-recapture, 357
distribution, habitat, 101
Ixodes dammini, 101
Ixodes scapularis, 872
Kansas, 872
sandflies, 330
vegetation, 330
dry-ice sampling, horizontal movement, 726
Ixodes dammini, 726
ecology, *Leishmania*, 492
Phlebotomus papatasi, 492
ectoparasites, gray squirrel, 461
efficacy, insect repellent, 303
N, N-diethylphenylacetamide, 303
egg development, *Cuterebra fontinella*, 474
diapause, 474
egg distribution, *Aedes taeniorhynchus*, 496
mangrove forests, 496
egg morphology, *Armigeres digitatus*, 606
bionomics, 606
chorion, 152
Cochliomyia hominivorax, 152
fine structure, 334
Mansonia, 334
eggs, fine structure, 434
Haemagogus spp., 434

electric grid, *Stomoxys calcitrans*, 822
trap, 822
electrophoresis, integrated pest management, 787
Stomoxys calcitrans, 787
ELISA, *Anopheles*, 533, 805
blood meal, 527
bluetongue virus, 287
Culicoides variipennis, 287
Dermacentor variabilis, 41
Simuliidae, 527
sporozoites, 533, 805
vitellogenin titer, 41
embryonic development, *Boophilus annulatus*, 165
temperature, 165
envenomization, Plectreuridae, 477
Plectreurys tristis, 477
enzymes, *Rhipicephalus* spp., 16
taxonomy, 16
epizootic hemorrhagic disease virus, *Culicoides variipennis*, 742
nucleic acid hybridization, 742
erythrocyte concentration, *Anopheles*, 780
prediuresis, 780
experimental infection, *Borrelia burgdorferi*, 809
ticks, 809
faunal succession, blow flies, 565
forensic entomology, 565
fecundity, *Aedes aegypti*, 501
ivermectin, 501
feeding, *Aedes triseriatus*, 581
larvae, 581
feeding apparatus, *Amblyomma americanum*, 111
light-excluding, 111
fiber-formulated acaricide, *Ixodes dammini*, 708
Lyme disease, 708
fine structure, egg morphology, 334
eggs, 434
Haemagogus spp., 434
Mansonia, 334
flea control, *Ctenocephalides felis*, 424
systemics, 424
fleas, Acari, 183
Dermacentor variabilis, 750
Ixodes dammini, 750
lice, 183
FMRFamide, myoinhibitory, 712
neuropeptide, 712
forensic entomology, blow flies, 565
faunal succession, 565
funnel trap, *Lutzomyia shannoni*, 289
tree holes, 289
Gasterophilus intestinalis, adult behavior, 67
mating, 67
genes, *Aedes* spp., 637
ribosomal DNA, 637
genetic variation, *Culex pipiens*, 198
polymorphism, 198
genetics, *Amblyomma americanum*, 544
phenotype, 544
geographic variation, *Dermacentor andersoni*, 174
diapause, 174
Glauconycteris bat, Africa, 446
Macronyssidae, 446
Glossina longipalpis, biconical traps, 284
olfactory attractants, 284
gray squirrel, ectoparasites, 461
habitat, distribution, 101
Ixodes dammini, 101
Haemagogus spp., eggs, 434
fine structure, 434
Haematobia irritans, permethrin, 63
resistance, 63
hatching, circadian rhythms, 740
Triatoma infestans, 740
Hemiptera, sex pheromone, 469
Triatoma mazzottii, 469
horizontal movement, dry-ice sampling, 726
Ixodes dammini, 726
host antibody response, Argasidae, 105
Ornithodoros spp., 105
host contact, *Amblyomma americanum*, 557
appetence, 557
host immunization, Argasidae, 250
Ornithodoros spp., 250
host preferences, Israel, 133
mosquitoes, 133
host resistance, Ixodidae, 114, 122
natural infestations, 114
Rhipicephalus appendiculatus, 122, 127
Zebu cattle, 127
host-parasite relationships, *Hypoderma* spp., 86
ultrastructure, 86
host-seeking behavior, meteorological variables, 831
Simulium luggeri, 831
human diseases, irrigation development, 387
mosquitoes, 387
Hyalomma dromedarii, nucleic acids, 193
proteins, 193
Hyalomma truncatum, laboratory biology, 282
life cycle, 282
Hypoderma spp., host-parasite relationships, 86
ultrastructure, 86
Hypoderma lineatum, antibiotics, 266
rearing technique, 266
immature stages, *Culicoides brevitarsis*, 878
optimum temperature, 878
immunogold labeling, bluetongue virus, 74
Culicoides variipennis, 74
in situ counting, *Culex tritaeniorhynchus*, 551
population sampling, 551
infection barriers, *Aedes triseriatus*, 378
La Crosse virus, 378
infection rates, *Serratia marcescens*, 190
Stomoxys calcitrans, 190
insect repellent, efficacy, 303
N, N-diethylphenylacetamide, 303
insecticides, bubonic plague, 770
Oropsylla montana, 770
integrated pest management, adult emergence, 757
electrophoresis, 787
Spalangia endius, 757
Stomoxys calcitrans, 787
irrigation development, human diseases, 387
mosquitoes, 387
Israel, host preferences, 133
mosquitoes, 133
ivermectin, *Aedes aegypti*, 501, 701
Amblyomma americanum, 465
Dermacentor variabilis, 465
fecundity, 501
reproduction, 701
Ixodes cookei, Lyme disease, 186
West Virginia, 186
Ixodes dammini, acaricides, 624
Borrelia burgdorferi, 259, 745
control, 32
Dermacentor variabilis, 750
distribution, 101
dry-ice sampling, 726
fiber-formulated acaricide, 708
fleas, 750
habitat, 101
horizontal movement, 726
Lyme disease, 32, 259, 537, 611, 624, 708, 745
permethrin, 537
tick control, 611
Ixodes scapularis, distribution, 872
Kansas, 872
Ixodidae, Argasidae, 590
chromosome banding, 352
chromosomes, 352
host resistance, 114, 122
natural infestations, 114
Peru, 590

Rhipicephalus appendiculatus, 122
juvenile hormones, *Ornithodoros moubata*, 506
vitellogenesis, 506
juvenoids, *Blattella germanica*, 514
development, 514
Kansas, distribution, 872
Ixodes scapularis, 872
Kenya, cattle, 630
ticks, 630
knockdown, pyrethroids, 663
Tabanus spp., 663
La Crosse virus, *Aedes triseriatus*, 378
infection barriers, 378
laboratory biology, *Hyalomma truncatum*, 282
life cycle, 282
Lagenidium giganteum, *Culex quinquefasciatus*, 95
temperature-dependent development, 95
larvae, *Aedes triseriatus*, 581
feeding, 581
larval instars, *Prosimulium kiotoense*, 214
seasonal growth pattern, 214
Leishmania, ecology, 492
Phlebotomus papatasi, 492
Leptotrombidium, taxonomy, 139
Leptotrombidium fletcheri, pyrethroids, 776
scrub typhus, 776
Thailand, 139
lice, Acari, 183
fleas, 183
life cycle, *Hyalomma truncatum*, 282
laboratory biology, 282
light-excluding, *Amblyomma americanum*, 111
feeding apparatus, 111
Lutzomyia shannoni, funnel trap, 289
tree holes, 289
Lyme disease, acaricides, 624
Alabama, 652
Borrelia burgdorferi, 259, 745
control, 32
fiber-formulated acaricide, 708
Ixodes cookei, 186
Ixodes dammini, 32, 259, 537, 611, 624, 708, 745
permethrin, 537
rodents, 299
spirochetes, 299
tick control, 611
ticks, 652
West Virginia, 186
Macronyssidae, Africa, 446
Glauconycteris bat, 446
malaria, *Anopheles gambiae*, 307
complex, 307
malaria refractoriness, *Anopheles gambiae*, 147
restriction fragment length polymorphism, 147
mangrove, *Aedes taeniorhynchus*, 270
oviposition, 270
mangrove forests, *Aedes taeniorhynchus*, 496
egg distribution, 496
Mansonia, egg morphology, 334
fine structure, 334
Mansonia africana, *Culex zombaensis*, 293
Rift Valley fever virus, 293
mark-recapture, *Anopheles balabacensis*, 675
Culex, 357
dispersal, 357
population genetics, 675
marker, *Culicoides variipennis*, 246
rubidium, 246
mating, adult behavior, 67
Gasterophilus intestinalis, 67
Mermithidae, *Simulium damnosum s.l.*, 421
West Africa, 421
Mesocyclops, biological control, 618
mosquito control, 618
meteorological variables, host-seeking behavior, 831
Simulium luggeri, 831
midgut, *Anopheles stephensi*, 865
blood meal digestion, 865
mosquito control, biological control, 618
Mesocyclops, 618
mosquitoes, 1-octen-3-ol, 254
arboviruses, 796
biological control, 24
blood feeding, 456
Brugia, 275
carbon dioxide, 254
host preferences, 133
human diseases, 387
irrigation development, 387
Israel, 133
N, N-diethylphenylacetamide, 142
nutrition, 275
repellents, 142
seasonal activity, 796
skin temperature, 456
tadpole shrimp, 24
Musca autumnalis, BHV-1, 841
cattle, 841
myoinhibitory, FMRFamide, 712
neuropeptide, 712
N,N-diethylphenylacetamide, efficacy, 303
insect repellent, 303
mosquitoes, 142
repellents, 142
natural infestations, host resistance, 114
Ixodidae, 114
Neohaematopinus, new species, 694
world list, 694
Neotropical Region, chiggers, 401
new species, 401
neuropeptide, FMRFamide, 712
myoinhibitory, 712
new species, chiggers, 401
Neohaematopinus, 694
Neotropical Region, 401
Tabanidae, 816
Vietnam, 816
world list, 694
Nigeria, phenology, 578
sandflies, 578
North America, Calliphoridae, 471
Chrysomya megacephala, 471
nucleic acid hybridization, *Culicoides variipennis*, 742
epizootic hemorrhagic disease virus, 742
nucleic acids, *Hyalomma dromedarii*, 193
proteins, 193
nutrition, *Brugia*, 275
mosquitoes, 275
olfactory attractants, biconical traps, 284
Glossina longipalpis, 284
optimum temperature, *Culicoides brevitarsis*, 878
immature stages, 878
oral susceptibility, *Aedes aegypti*, 518
dengue-2, 518
Ornithodoros concanensis, artificial feeding, 450
bovine erythrocytes, 450
Ornithodoros moubata, juvenile hormones, 506
pyrethroids, 322
vitellogenesis, 506
vitellogenin, 322
Ornithodoros puertoricensis, African swine fever virus, 854
Argasidae, 854
biology, 49
reproduction, 49
Ornithodoros spp., acquired host resistance, 37
Argasidae, 37, 105, 250
host antibody response, 105
host immunization, 250
Ornithodoros turicata, burrow sampling, 45
carbon dioxide baits, 45
Oropsylla montana, bubonic plague, 770
insecticides, 770
oviposition, *Aedes taeniorhynchus*, 270

mangrove, 270
periodicity, 241
Taxorhynchites, 241
pathogen, beetles, 314
biocontrol, 314
periodicity, oviposition, 241
Taxorhynchites, 241
Periplaneta americana, control, 210
sewers, 210
permethrin, *Haematobia irritans*, 63
Ixodes dammini, 537
Lyme disease, 537
resistance, 63
Peru, Argasidae, 590
Ixodidae, 590
phenology, Nigeria, 578
sandflies, 578
phenotype, *Amblyomma americanum*, 544
genetics, 544
Phlebotomus papatasi, ecology, 492
Leishmania, 492
pigs, biting behavior, 428
Culex tritaeniorhynchus, 428
Plectreuridae, envenomization, 477
Plectreurys tristis, 477
Plectreurys tristis, envenomization, 477
Plectreuridae, 477
polymorphism, *Culex pipiens*, 198
genetic variation, 198
polyploidy, chromosomes, 340
thelotoky, 340
population dynamics, *Boophilus spp.*, 223
computer modeling, 223
population genetics, *Anopheles balabacensis*, 675
mark–recapture, 675
population sampling, *Culex tritaeniorhynchus*, 551
in situ counting, 551
Potosi virus, *Aedes albopictus*, 601
vector competence, 601
prediuresis, *Anopheles*, 780
erythrocyte concentration, 780
Prosimulium kiotoense, larval instars, 214
seasonal growth pattern, 214
proteins, *Hyalomma dromedarii*, 193
nucleic acids, 193
pyrethroids, knockdown, 663
Leptotrombidium fletcheri, 776
Ornithodoros moubata, 322
scrub typhus, 776
Tabanus spp., 663
vitellogenin, 322
rearing technique, antibiotics, 266
Hypoderma lineatum, 266
redescription, *Dermacentor marginatus*, 1
synonymies, 1
repellents, *Anopheles spp.*, 417
mosquitoes, 142
N,N-diethylphenylacetamide, 142
reproduction, *Aedes aegypti*, 701
biology, 49
ivermectin, 701
Ornithodoros puertoricensis, 49
resistance, *Haematobia irritans*, 63
permethrin, 63
restriction fragment length polymorphism, *Anopheles gambiae*, 147
malaria refractoriness, 147
Rhipicephalus appendiculatus, host resistance, 122
host resistance, 127
Ixodidae, 122
Zebu cattle, 127
Rhipicephalus spp., enzymes, 16
taxonomy, 16
ribosomal DNA, *Aedes* spp., 637
genes, 637
Rift Valley fever virus, *Culex zombaensis*, 293
Mansonia africana, 293
rodents, Lyme disease, 299
spirochetes, 719
spirochetes, 299
ticks, 719
rubidium, *Culicoides variipennis*, 246
marker, 246
sandflies, distribution, 330
Nigeria, 578
phenology, 578
vegetation, 330
screwworm, behavior, 372
time–activity budget, 372
scrub typhus, *Leptotrombidium fletcheri*, 776
pyrethroids, 776
seasonal activity, arboviruses, 796
mosquitoes, 796
seasonal change, allozymes, 481
Culex pipiens, 481
seasonal growth pattern, larval instars, 214
Prosimulium kiotoense, 214
Serratia marcescens, infection rates, 190
Stomoxys calcitrans, 190
sewers, control, 210
Periplaneta americana, 210
sex pheromone, Hemiptera, 469
Triatoma mazzottii, 469
SFG Rickettsia, *Amblyomma*, 598
Simuliidae, blood meal, 527
ELISA, 527
Simulium damnosum s.l., Mermithidae, 421
West Africa, 421
Simulium luggeri, host-seeking behavior, 831
meteorological variables, 831
skin temperature, blood feeding, 456
mosquito, 456
Spalangia endius, adult emergence, 757
integrated pest management, 757
species assemblages, arthropod sampling, 658
spirochetes, Lyme disease, 299
rodents, 299, 719
ticks, 719
spiroplasmas, *Aedes spp.*, 219
Anopheles spp., 219
sporozoite, *Anopheles*, 533, 805
ELISA, 533, 805
St. Louis encephalitis virus, arboviral surveillance, 19
arboviruses, 19
sterile hybrid, *Boophilus*, 763
competitiveness, 763
Stomoxys calcitrans, electric grid, 822
electrophoresis, 787
infection rates, 190
integrated pest management, 787
Serratia marcescens, 190
trap, 822
Williams trap, 730
wind, 730
synonymies, *Dermacentor marginatus*, 1
redescription, 1
systemics, *Ctenocephalides felis*, 424
flea control, 424
Tabanidae, canopy trap design, 874
new species, 816
ultraviolet reflectance, 874
Vietnam, 816
Tabanus spp., knockdown, 663
pyrethroids, 663
tadpole shrimp, biological control, 24
mosquitoes, 24
taxonomy, Acari, 205
enzymes, 16
Leptotrombidium, 139
Rhipicephalus spp., 16
Thailand, 139
Thalassornectes aukletae, 205
temperature, *Boophilus annulatus*, 165
embryonic development, 165
temperature-dependent development, *Culex quinquefasciatus*, 95
Lagenidium giganteum, 95
Thailand, *Leptotrombidium*, 139

taxonomy, 139
Thalassornectes aukletae, Acari, 205
taxonomy, 205
thelotoky, chromosomes, 340
polyploidy, 340
tick control, *Ixodes dammini*, 611
Lyme disease, 611
ticks, Alabama, 652
Borrelia burgdorferi, 668, 809
cattle, 630
experimental infection, 809
Kenya, 630
Lyme disease, 652
rodents, 719
spirochetes, 719
Virginia, 668
time–activity budget, behavior, 372
screwworm, 372
Toxorhynchites, oviposition, 241
periodicity, 241
trap, electric grid, 822
Stomoxys calcitrans, 822
trapping, carrion, 734
desert insects, 734
tree holes, funnel trap, 289
Lutzomyia shannoni, 289
Triatoma infestans, circadian rhythms, 740
hatching, 740
Triatoma mazzottii, Hemiptera, 469
sex pheromone, 469
ultrasound, blood consumption, 394
Ctenocephalides felis, 394
ultrastructure, host–parasite relationships, 86
Hypoderma spp., 86
ultraviolet reflectance, canopy trap design, 874
Tabanidae, 874
vector competence, *Aedes albopictus*, 601
Potosi virus, 601
vector potentials, *Aedes albopictus*, 161
Venezuelan encephalomyelitis, 161
vegetation, distribution, 330
sandflies, 330
Venezuelan encephalomyelitis, *Aedes albopictus*, 161
vector potentials, 161
Venezuelan equine encephalomyelitis, alphavirus, 405
Amblyomma cajennense, 405
Vietnam, new species, 816
Tabanidae, 816
Virginia, *Borrelia burgdorferi*, 668
ticks, 668
vitellogenesis, juvenile hormones, 506
Ornithodoros moubata, 506
vitellogenin, *Ornithodoros moubata*, 322
pyrethroids, 322
vitellogenin titer, *Dermacentor variabilis*, 41
ELISA, 41
West Africa, Mermithidae, 421
Simulium damnosum s.l., 421
West Virginia, *Ixodes cookei*, 186
Lyme disease, 186
Williams trap, *Stomoxys calcitrans*, 730
wind, 730
wind, *Stomoxys calcitrans*, 730
Williams trap, 730
world list, *Neohaematopinus*, 694
new species, 694
yeast nutritional value, allergens, 487
Dermatophagoides pteronyssinus, 487
Zebu cattle, host resistance, 127
Rhipicephalus appendiculatus, 127